

Dishend Catalouge

We manufacture high-precision Dish Ends in Stainless Steel (SS) and Mild Steel (MS) for pressure vessels, boilers, Filters and Housing , Refregeration, HVAC storage tanks, and process equipment. Our production includes:
✓ Die Press Manufacturing (1 to 24 inches) for accuracy and consistency. ✓ Spinning Process (above 24 inches) for flexibility and customization.

ITEM NO	SIZES	DN	DIA (D)	WALL THICKNESS (t)	HEIGHT
1	0.5"	15	18	1.5	15
2	0.5"	15	19	1.5	15
3	0.5"	15	21	2,2.5,3	15
4	0.75"	20	22	1.5	20
5	0.75"	20	23	1.5,2	20
6	0.75"	20	25	1.5,2	20
7	0.75"	20	26	2,2.5,3	20
8	1"	25	28	1.5,2	25
9	1"	25	29	1.5	25
10	1"	25	30	2	25
11	1"	25	33.7	2,2.5,3	25
12	1.25"	32	35	2	27
13	1.25"	32	36	2	27
14	1.25"	32	38	1.5,2,3	27
15	1.25"	32	42.5	2,2.5,3	27
16	1.5"	40	40	2	27
17	1.5"	40	41	1.5	27
18	1.5"	40	44.5	2	27
19	1.5"	40	46	3	27
20	1.5"	40	48	2,2.5,3,4,5	27
21	2"	50	51	2	25
22	2"	50	52	2	25
23	2"	50	53	1.5	25
24	2"	50	54	2	25
25	2"	50	57	2,3	25
26	2"	50	60	2,2.5,3,4,5,6	25
27	2.5	65	63.5	2	33

ITEM NO	SIZES	DN	DIA (D)	WALL THICKNESS (t)	HEIGHT
28	2.5	65	64	2	33
29	2.5	65	70	2	33
30	2.5"	65	76	2,2.5,3	33
31	2.5"	75	76	5,6	33
32	3"	80	80	2,3	33
33	3"	80	84	6	33
34	3"	80	85	2	30
35	3"	80	88.9	2,2.5,3,4	30
36	3"	90	90	3,4,5,6	30
37	4"	100	101	2,3	30
38	4"	100	104	2	48
39	4"	100	106	3	50
40	4"	100	108	2,3	50
41	4"	100	114	2,2.5,3,4,5,6,8	50
42	5"	125	129	2	45
43	5"	125	133	2,3,4	45
44	5"	125	139.7	2,2.5,3,4	52
45	6"	125	141	3,5,6	54
46	6"	150	154	2	54
47	6"	150	156	3	54
48	6"	150	167	3,5,6,8,10	54
49	6"	150	168.3	2,3,4	54
50	6"	180	184	3	54
51	7.5"	175	193.7	2,3,4	65
52	8"	200	204	2	65
53	8"	200	206	3	65
54	8"	200	207	3	65
56	8"	200	220	2,3,4,5,6,8	65
57	10"	250	245	4	72
58	10"	250	254	2	75
59	10"	250	256	3	75
60	10"	250	273	3,4,5,6,8	75
61	10"	300	300	2.5,3	120
62	12"	300	324	5,6,8	90
63	14"	350	357	3,5,6,8	88
64	14"	400	400	3,4,5	125

ITEM NO	SIZES	DN	DIA (D)	WALL THICKNESS (t)	HEIGHT
65	16"	400	407	3,5,6,8	105
66	16"	450	450	3	105
67	18"	450	457	5,6,8	120
68	20"	500	510	3,5,6,8	130
69	22"	550	550	5,6	130
70	24"	600	610	5,6,8	130


DIN Standard Compliance:

We manufacture dish ends from 1 inch to 24 inches in one piece without welding. For sizes above 24 inches up to 2000 mm, we use spinning and welding techniques to ensure high-quality fabrication.

Tolerances & Limit Deviations:

- ✓ Inner Height: ± 2 mm
- ✓ Outer Diameter (OD): ± 1.2 mm (whichever is higher)
- ✓ Height Dimension: ± 1.2 mm
- ✓ Edge Finishing: As per specifications

Edge forms



Mapsons India Private Limited
J 288 S BLOCK MIDC Bhosari Pune Maharashtra India Pin Code :
411026
GSTIN: 27AALCM5769L1ZM IEC No: AALCM5769L
LUT No: AD271224013673B
Tel No: 020 27120006 Mob No: +91 9922991649 Email ID:
info@mapsonsindia.com www.mapsonsindia.com

Certified by TUV SUD ISO 9001 · 2015, ZED GOLD



Website

For further information please
visit our website:
www.mapsonsindia.com